



Single-Seat Multifunction Wellness Chamber

A personal space for
seated wellness sessions

Model: HK-GB-A1-W-001-2024



A personal wellness space



One person per chamber

The circular cabin combines a single seated space with integrated wellness equipment.

For your project

Confirm the supplied functions, accessories and control settings with Bayint before ordering.

Five featured functions

Negative ions

An integrated negative-ion function for the cabin environment.

Red light

Dedicated light elements within the chamber.

Sound

Integrated audio for the session environment.

Heating

A controlled thermal environment.

Electrical pulse

Electrical pulse equipment and contact accessories.

Equipment and controls



Integrated into one cabin

The source materials describe heating, light, sound and electrical pulse functions alongside the negative-ion system.

Additional modules

The source presentation also lists graphene photothermal, magnetic and hydrogen-related technology. Confirm which modules and accessories form part of the supplied single-seat configuration.

Single-seat specifications

Model	HK-GB-A1-W-001-2024
Capacity	1 person
Overall size (L x W x H)	2050 x 1050 x 1760 mm
Power supply	AC 220 V, 50 Hz
Session duration listed	30 minutes; actual settings follow supplied instructions
Temperature limit listed	Below 65 C; suitability and actual settings require confirmation
Construction	Flame-retardant fibre, steel frame and flame-retardant flooring
Rated power / circuit / cable	Confirm the rating plate and final configuration before installation

Electrical ratings in the source cover multiple sizes. Confirm the delivered unit specification.

Model range in the source specification

Capacity	Model	Overall size (mm)
1 person	HK-GB-A1-W-001-2024	2050 x 1050 x 1760
2 people	HK-GB-B2-W-001-2024	2050 x 1900 x 2200
4 people	HK-GB-C4-W-001-2024	3300 x 1900 x 2200

This brochure focuses on the one-person version. Other sizes are listed for model identification; their photographs and dimensions must not be used for the single-seat product.

Dimensions and delivery planning



Installation space

Overall size: 2050 x 1050 x 1760 mm.
Allow additional clearance for entry, opening, ventilation and servicing.

Delivery route

Check doorways, lifts and the route to the room. Request packed dimensions, weight, unloading arrangements and assembly requirements.

Preparation for a session

Before entry

Read the supplied operating instructions.
Complete the required suitability check.
Remove personal items as directed.
Prepare clean clothing and seat coverings.
Ask the operator to explain controls and exit procedures.

Operator setup

Confirm the approved session settings.
Check the cabin and contact accessories.
Set the permitted functions and duration.
Follow cleaning and maintenance instructions.
Keep assistance available throughout use.

Suitability and operating information

Check suitability before use

Request the contraindications and screening requirements for the supplied unit. Seek professional advice when medical conditions, implanted devices or other restrictions may affect suitability.

Response during a session

Follow the supplied stop and exit procedure if discomfort occurs. Do not interpret new or worsening symptoms as proof that the equipment is working. This brochure does not replace medical assessment or the operating manual.



Your Bayint contact

Shenzhen Beintek Technology Co., Ltd.

For a quotation, send your destination country, quantity, intended setting and required functions. Bayint will confirm the supplied configuration and technical requirements.

www.bayint.com
deby@bayint.com
+86 185 6577 1898