

# SOFT HYPERBARIC OXYGEN CHAMBER

Flexible TPU enclosure. Configurable layouts.



## Choose the chamber around your space.

A soft-sided enclosure with an observation window, zip access and separate control equipment. Bayint confirms the layout, equipment package and installation requirements for your project.

Branding visualization. Final equipment and controls follow the confirmed configuration.

## Choose your layout



### Upright / Egg-shaped / Lying

Select the position and enclosure shape that suit your project. Bayint will confirm the usable internal space, support arrangement and access requirements in the configuration drawing.

Images illustrate available designs. Model dimensions and capacity must be checked for the selected chamber before ordering.

# Configuration at a glance

|                           |                                                            |
|---------------------------|------------------------------------------------------------|
| <b>Enclosure</b>          | Soft-sided TPU, zip access and observation window          |
| <b>Pressure equipment</b> | Pressure gauge, mechanical safety valve and manual release |
| <b>Operating pressure</b> | Confirm the rated pressure for the selected chamber        |
| <b>External equipment</b> | Confirm oxygen supply and control unit in the quotation    |
| <b>Control options</b>    | Touchscreen and remote-control functions by configuration  |
| <b>Cooling option</b>     | Water-cooled air conditioning available as an option       |

## Before requesting a quotation

Tell us your room dimensions, preferred chamber layout, intended location, destination country and quantity. Request the current specification and installation drawing for your chosen configuration.

## Need the operating manual?

Contact your Bayint sales representative for the manual relevant to your delivered equipment. This PDF is a product overview, not an operating manual.

**Shenzhen Beintek Technology Co., Ltd.**  
**deby@bayint.com | +86 185 6577 1898**